



## SAFETY DATA SHEET RAPID DRY BRAKE CLEANER

### SECTION 1: Identification of the substance/mixture and of the company/undertaking

#### 1.1. Product identifier

**Product name**                      RAPID DRY BRAKE CLEANER

#### 1.2. Relevant identified uses of the substance or mixture and uses advised against

**Uses advised against**              No specific uses advised against are identified.

#### 1.3. Details of the supplier of the safety data sheet

**Supplier**                              Starbrite Chemicals Ltd.  
Unit 27, Bolney Grange Business Park,  
Stairbridge Lane,  
Bolney,  
West Sussex,  
RH17 5PB.  
01444 237700  
01444 237701  
enquiries@starbrite.co.uk

#### 1.4. Emergency telephone number

**Emergency telephone**              +44 (0)1444 237 710 (Mon-Fri 8:00am-5:00pm GMT)

### SECTION 2: Hazards identification

#### 2.1. Classification of the substance or mixture

##### Classification

**Physical hazards**                      Flam. Liq. 2 - H225

**Health hazards**                        Skin Irrit. 2 - H315 Eye Irrit. 2 - H319 STOT SE 3 - H336 Asp. Tox. 1 - H304

**Environmental hazards**              Aquatic Chronic 2 - H411

**Classification (67/548/EEC or 1999/45/EC)**    F; R11. Xn; R65. Xi; R36/38. N; R51/53. R67

#### 2.2. Label elements

##### Pictogram



**Signal word**

**Danger**

## RAPID DRY BRAKE CLEANER

<b>Hazard statements</b>	H225 Highly flammable liquid and vapour. H304 May be fatal if swallowed and enters airways. H315 Causes skin irritation. H319 Causes serious eye irritation. H336 May cause drowsiness or dizziness. H411 Toxic to aquatic life with long lasting effects.
<b>Precautionary statements</b>	P210 Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. P264 Wash contaminated skin thoroughly after handling. P271 Use only outdoors or in a well-ventilated area. P273 Avoid release to the environment. P280 Wear protective gloves/protective clothing/eye protection/face protection. P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. P501 Dispose of contents/container in accordance with national regulations.
<b>Contains</b>	naphtha (petroleum), hydrotreated light, propan-2-ol
<b>Supplementary precautionary statements</b>	P240 Ground/bond container and receiving equipment. P241 Use explosion-proof electrical equipment. P242 Use only non-sparking tools. P243 Take precautionary measures against static discharge. P261 Avoid breathing vapour/spray. P301+P310 IF SWALLOWED: Immediately call a POISON CENTER/doctor. P302+P352 IF ON SKIN: Wash with plenty of water. P303+P361+P353 IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower. P304+P340 IF INHALED: Remove person to fresh air and keep comfortable for breathing. P312 Call a POISON CENTER/doctor if you feel unwell. P321 Specific treatment (see medical advice on this label). P331 Do NOT induce vomiting. P332+P313 If skin irritation occurs: Get medical advice/attention. P337+P313 If eye irritation persists: Get medical advice/attention. P362+P364 Take off contaminated clothing and wash it before reuse. P370+P378 In case of fire: Use foam, carbon dioxide, dry powder or water fog to extinguish. P391 Collect spillage. P403+P233 Store in a well-ventilated place. Keep container tightly closed. P403+P235 Store in a well-ventilated place. Keep cool. P405 Store locked up.

### 2.3. Other hazards

## SECTION 3: Composition/information on ingredients

### 3.2. Mixtures

<b>naphtha (petroleum), hydrotreated light</b>	<b>60-100%</b>
CAS number: 64742-49-0	EC number: 265-151-9
<b>Classification</b>	<b>Classification (67/548/EEC or 1999/45/EC)</b>
Flam. Liq. 2 - H225	F; R11. Xn; R65. Xi; R38. N; R51/53. R67
Skin Irrit. 2 - H315	
STOT SE 3 - H336	
Asp. Tox. 1 - H304	
Aquatic Chronic 2 - H411	

## RAPID DRY BRAKE CLEANER

<b>propan-2-ol</b>		<b>10-30%</b>
CAS number: 67-63-0	EC number: 200-661-7	REACH registration number: 01-2119457558-25-XXXX
<b>Classification</b>	<b>Classification (67/548/EEC or 1999/45/EC)</b>	
Flam. Liq. 2 - H225	F; R11. Xi; R36. R67	
Eye Irrit. 2 - H319		
STOT SE 3 - H336		

The Full Text for all R-Phrases and Hazard Statements are Displayed in Section 16.

### SECTION 4: First aid measures

#### 4.1. Description of first aid measures

<b>General information</b>	If in doubt, get medical attention promptly.
<b>Inhalation</b>	Get medical attention if any discomfort continues.
<b>Ingestion</b>	Give plenty of water to drink. Move affected person to fresh air at once. Get medical attention if any discomfort continues.
<b>Skin contact</b>	Remove contaminated clothing immediately and wash skin with soap and water. Rinse with water.
<b>Eye contact</b>	Get medical attention if any discomfort continues. Remove affected person from source of contamination. Rinse with water. Remove contact lenses, if present and easy to do. Continue rinsing. Continue to rinse for at least 10 minutes.
<b>Protection of first aiders</b>	First aid personnel should wear appropriate protective equipment during any rescue.

#### 4.2. Most important symptoms and effects, both acute and delayed

<b>General information</b>	Persons suffering from asthma, eczema or skin problems should avoid contact, including dermal contact, with this product.
<b>Inhalation</b>	May cause discomfort. May be harmful if inhaled.
<b>Ingestion</b>	A single exposure may cause the following adverse effects: Nausea, vomiting. May be harmful if swallowed.
<b>Skin contact</b>	May be harmful in contact with skin. May cause discomfort. Prolonged and frequent contact may cause redness and irritation.
<b>Eye contact</b>	May be slightly irritating to skin and eyes. Prolonged or repeated exposure may cause severe irritation.

#### 4.3. Indication of any immediate medical attention and special treatment needed

<b>Notes for the doctor</b>	Treat symptomatically.
<b>Specific treatments</b>	Not applicable.

### SECTION 5: Firefighting measures

#### 5.1. Extinguishing media

<b>Suitable extinguishing media</b>	Use fire-extinguishing media suitable for the surrounding fire.
<b>Unsuitable extinguishing media</b>	None known.

#### 5.2. Special hazards arising from the substance or mixture

## RAPID DRY BRAKE CLEANER

<b>Specific hazards</b>	The product is flammable.
<b>Hazardous combustion products</b>	None known.
<b>5.3. Advice for firefighters</b>	
<b>Protective actions during firefighting</b>	Avoid breathing fire gases or vapours.
<b>Special protective equipment for firefighters</b>	Firefighter's clothing conforming to European standard EN469 (including helmets, protective boots and gloves) will provide a basic level of protection for chemical incidents.

### SECTION 6: Accidental release measures

#### 6.1. Personal precautions, protective equipment and emergency procedures

**Personal precautions** Avoid contact with eyes and prolonged skin contact.

#### 6.2. Environmental precautions

**Environmental precautions** The product contains a substance which may cause long-term adverse effects in the aquatic environment.

#### 6.3. Methods and material for containment and cleaning up

**Methods for cleaning up** Contain spillage with sand, earth or other suitable non-combustible material. Dispose of waste to licensed waste disposal site in accordance with the requirements of the local Waste Disposal Authority.

#### 6.4. Reference to other sections

**Reference to other sections** For personal protection, see Section 8. For waste disposal, see Section 13.

### SECTION 7: Handling and storage

#### 7.1. Precautions for safe handling

**Usage precautions** Avoid contact with eyes and prolonged skin contact.

**Advice on general occupational hygiene** Clean equipment and the work area every day. Wash hands and any other contaminated areas of the body with soap and water before leaving the work site. Wash contaminated clothing before reuse.

#### 7.2. Conditions for safe storage, including any incompatibilities

**Storage precautions** Keep only in the original container. Keep container tightly closed in a cool place.

#### 7.3. Specific end use(s)

**Specific end use(s)** The identified uses for this product are detailed in Section 1.2.

### SECTION 8: Exposure Controls/personal protection

#### 8.1. Control parameters

#### 8.2. Exposure controls

##### Protective equipment



##### Appropriate engineering controls

Avoid inhalation of vapours and spray/mists. Observe any occupational exposure limits for the product or ingredients.

## RAPID DRY BRAKE CLEANER

<b>Eye/face protection</b>	Contact lenses should not be worn when working with this chemical. Chemical splash goggles.
<b>Hand protection</b>	Wear protective gloves. To protect hands from chemicals, gloves should comply with European Standard EN374.
<b>Other skin and body protection</b>	Appropriate footwear and additional protective clothing complying with an approved standard should be worn if a risk assessment indicates skin contamination is possible.
<b>Hygiene measures</b>	Good personal hygiene procedures should be implemented. Do not eat, drink or smoke when using this product. Eye wash facilities and emergency shower must be available when handling this product. Wash promptly with soap and water if skin becomes contaminated. Wash contaminated clothing before reuse.
<b>Respiratory protection</b>	No specific recommendations.
<b>Environmental exposure controls</b>	Keep container tightly sealed when not in use.

### SECTION 9: Physical and Chemical Properties

#### 9.1. Information on basic physical and chemical properties

<b>Appearance</b>	Colourless liquid.
<b>Odour</b>	Hydrocarbons.
<b>Initial boiling point and range</b>	105 - 135°C @ 760 mm Hg
<b>Flash point</b>	11°C OC (Open cup).
<b>Upper/lower flammability or explosive limits</b>	Lower flammable/explosive limit: 0.8 Upper flammable/explosive limit: 6.5
<b>Vapour pressure</b>	4.2 kPa @ 20°C
<b>Relative density</b>	0.710
<b>Solubility(ies)</b>	Slightly soluble in water.
<b>Auto-ignition temperature</b>	283°C

#### 9.2. Other information

### SECTION 10: Stability and reactivity

#### 10.1. Reactivity

**Reactivity** There are no known reactivity hazards associated with this product.

#### 10.2. Chemical stability

**Stability** Stable at normal ambient temperatures and when used as recommended.

#### 10.3. Possibility of hazardous reactions

**Possibility of hazardous reactions** None known.

#### 10.4. Conditions to avoid

**Conditions to avoid** Avoid exposure to high temperatures or direct sunlight. Avoid freezing.

#### 10.5. Incompatible materials

**Materials to avoid** Strong oxidising agents. Strong reducing agents.

#### 10.6. Hazardous decomposition products

## RAPID DRY BRAKE CLEANER

**Hazardous decomposition products** May emit toxic fumes under fire conditions.

### SECTION 11: Toxicological information

#### 11.1. Information on toxicological effects

**Inhalation** Vapours may irritate throat/respiratory system. May be harmful if inhaled.

**Ingestion** May cause discomfort if swallowed. May be harmful if swallowed.

**Skin contact** Prolonged skin contact may cause redness and irritation. May be harmful in contact with skin.

**Eye contact** May cause irritation. May cause serious eye damage.

### SECTION 12: Ecological Information

**Ecotoxicity** May cause long lasting harmful effects to aquatic life.

#### 12.1. Toxicity

**Toxicity** Not applicable.

#### 12.2. Persistence and degradability

#### 12.3. Bioaccumulative potential

#### 12.4. Mobility in soil

**Mobility** The product is soluble in water.

#### 12.5. Results of PBT and vPvB assessment

#### 12.6. Other adverse effects

**Other adverse effects** None known.

### SECTION 13: Disposal considerations

#### 13.1. Waste treatment methods

**General information** Dispose of waste product or used containers in accordance with local regulations

### SECTION 14: Transport information

#### 14.1. UN number

**UN No. (ADR/RID)** 1993

**UN No. (IMDG)** 1993

**UN No. (ICAO)** 1993

**UN No. (ADN)** 1993

#### 14.2. UN proper shipping name

**Proper shipping name (ADR/RID)** FLAMMABLE LIQUID, N.O.S.(naptha (petroleum), hydrotreated light, PROPAN-2-OL)

**Proper shipping name (IMDG)** FLAMMABLE LIQUID, N.O.S.(naptha (petroleum), hydrotreated light, PROPAN-2-OL)

**Proper shipping name (ICAO)** FLAMMABLE LIQUID, N.O.S.(naptha (petroleum), hydrotreated light, PROPAN-2-OL)

**Proper shipping name (ADN)** FLAMMABLE LIQUID, N.O.S.(naptha (petroleum), hydrotreated light, PROPAN-2-OL)

#### 14.3. Transport hazard class(es)

## RAPID DRY BRAKE CLEANER

ADR/RID class	3
ADR/RID classification code	F1
ADR/RID label	3
IMDG class	3
ICAO class/division	3
ADN class	3

### Transport labels



### 14.4. Packing group

ADR/RID packing group	II
IMDG packing group	II
ADN packing group	II
ICAO packing group	II

### 14.5. Environmental hazards

Environmentally hazardous substance/marine pollutant

No.

### 14.6. Special precautions for user

EmS	F-E, S-E
ADR transport category	2
Emergency Action Code	•3YE
Hazard Identification Number (ADR/RID)	33
Tunnel restriction code	(D/E)

### 14.7. Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code

#### SECTION 15: Regulatory information

### 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

EU legislation	Regulation (EC) No 1272/2008 of the European Parliament and of the Council of 16 December 2008 on classification, labelling and packaging of substances and mixtures (as amended). Regulation (EC) No 1907/2006 of the European Parliament and of the Council of 18 December 2006 concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH) (as amended).
----------------	--

### 15.2. Chemical safety assessment

No chemical safety assessment has been carried out.

#### SECTION 16: Other information

General information	Only trained personnel should use this material.
---------------------	--

## RAPID DRY BRAKE CLEANER

<b>Issued by</b>	HS&E Manager.
<b>Revision date</b>	10/08/2015
<b>Revision</b>	1
<b>SDS number</b>	6167
<b>Risk phrases in full</b>	R11 Highly flammable. R36 Irritating to eyes. R36/38 Irritating to eyes and skin. R38 Irritating to skin. R51/53 Toxic to aquatic organisms, may cause long-term adverse effects in the aquatic environment. R65 Harmful: may cause lung damage if swallowed. R67 Vapours may cause drowsiness and dizziness.
<b>Hazard statements in full</b>	H225 Highly flammable liquid and vapour. H304 May be fatal if swallowed and enters airways. H315 Causes skin irritation. H319 Causes serious eye irritation. H336 May cause drowsiness or dizziness. H411 Toxic to aquatic life with long lasting effects.

This information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process. Such information is, to the best of the company's knowledge and belief, accurate and reliable as of the date indicated. However, no warranty, guarantee or representation is made to its accuracy, reliability or completeness. It is the user's responsibility to satisfy himself as to the suitability of such information for his own particular use.